

MSDS – Tanglefoot Sticky Coating

Synergy Semiochemicals Corporation



IDENTITY (As Used on Label and List)

TANGLEFOOT® Tangle-Trap™ Sticky Coating

Note: Blank spaces are not permitted.
If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name
Synergy Semiochemicals Corporation

Emergency Telephone Number
CANUTEC @ 1-(613)-996-6666

Address
7572 Progress Way
Delta, British Columbia,
Canada
V4G 1E9

Telephone Number for Information
1-(604)-454-1122

Date Prepared
2018-09-07

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Not a hazardous material	N/A	N/A	N/A	N/A

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H₂O = 1)	0.89
Vapour Pressure (mm Hg)	N/A	Melting Point	N/A
Vapour Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A

Solubility in Water
Insoluble

Appearance and Odour
Colorless sticky gel with slight rubber odor



Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
177 C, closed cup	N/A	N/A	N/A

Extinguishing Media

Carbon dioxide, dry chemical, foam. Do not use water.

Special Fire Fighting Procedures

Use water or Freon spray to cool fire exposed containers. Firefighters & other exposed to product of combustion should wear self-contained breathing apparatus & full firefighting protective clothing. Dike area to prevent runoff.

Unusual Fire and Explosion Hazards

Respiratory and eye protection are mandatory when handling burning material.

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid
	Stable	X Exposure to oxidizing agents or open flame

Incompatibility (*Materials to Avoid*)

Oxidizing agents, chlorinating agents, strong acids, strong heating or flame

Hazardous Decomposition or Byproducts

Oxides of carbon. Incomplete combustion generates aldehydes and acids

Hazardous	May Occur	Conditions to Avoid
Polymerization	Will Not Occur X	N/A

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	YES	YES	YES

Health Hazards (*Acute and Chronic*)

No significant health hazards exist at ambient temperatures. Redness and irritation may occur on contaminated skin and eye contact may be slightly irritating, but product does not cause long-term adverse health effects. For hot product, cool immediately and treat as a burn.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	NO	NO	NO

This material is not known to be carcinogenic

Signs and Symptoms of Exposure

Material is non-hazardous but highly adhesive. May be a skin irritant in susceptible individuals.



Section VI - Health Hazard Data cont'd.

Medical Conditions Generally Aggravated by Exposure

Dermatitis, pneumonia.

Emergency and First Aid Procedures

Remove affected to fresh air. For skin contact, wash affected area with solvent, then warm soapy water. For eye contact, wash eyes thoroughly with cold water. Treat symptomatically and supportively.

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Spills can be contained and removed with absorbent material such as sand and washed with hydrocarbon solvent (mineral spirits), or detergent. Remove sources of ignition. Do not contaminate water or sewer systems.

Waste Disposal Method

Incineration or sanitary disposal in accordance with local regulations

Precautions to Be taken in Handling and Storing

Store in well ventilated, cool dry place away from sources of heat & ignition. No smoking in areas of storage or use. Keep away from children, domestic animals, and pets.

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protection (*Specify Type*)

None required

Ventilation	Local Exhaust	Special
	NO	N/A
	Mechanical (<i>General</i>)	Other
	NO	N/A

Protective Gloves

Organic resistant, e.g. Butyl rubber

Eye Protection

Organic resistant

Other Protective Clothing or Equipment

Provide suitable cleanup materials in case of spill.

Work/Hygienic Practices

Avoid contact with skin and eyes. Do not eat, drink, or smoke when handling material.